

Differences between the universal version of the SANDY word processor and the Apple IIe version:

There are now two versions of the Sandy Word processor, with separate manuals and separate disks, one designed specifically to run on the Apple IIe, and one designed to run on all Apple computers.

If you are already familiar with the universal version you should read this list of differences.

There are a number of enhancements, such as a four thousand character grab buffer. This page does not cover the enhancements. It is about differences.

The file and print commands are the same in both versions.

The arrow keys and the del key work as expected in both versions.

The Apple IIe version uses the apple keys to give edit commands, where the universal version uses control keys.

In the Apple IIe version hitting an arrow key with the open apple key held down deletes in the direction of the arrow, and hitting an arrow key with the closed apple key held down undeletes in the direction of the arrow. This replaces the various delete and undelete commands in the universal version.

The test print command is apple P on the Apple IIe version, instead of Ctrl ^ on the universal version.

There are a number of new edit commands, notably the glossary command.

Search and replace are slightly different, because search no longer distinguishes between upper and lower case. For example the search string "the" will match "the", "The", and "THE".

All other edit commands are the same. For example Apple R on the Apple IIe version moves the cursor to top of text, just as Ctrl R does on the universal version. Apple F moves you from edit mode to file command mode in the Apple IIe version, just as Ctrl F does in the universal version.

The Apple IIe version now has the long promised soft space. This will be available on the universal version — soon.

The embedded print commands .HEADER, .FOOTER, and .PAGE NO. work slightly differently. On the Apple IIe version you have complete control over the position of the page number and header and footer text. All other embedded print commands are the same. This will be available on the universal version — soon.

The hash code, used in form letters, is now Ctrl], not Ctrl E Ctrl Shift M.

Documents created under the universal version will print correctly under the Apple IIe version, except that the .HEADER command needs to be altered. To convert a .HEADER command in a text file for the universal version to a header command for the Apple IIe version add a Ctrl — to the start of the header (Soft space to right justify the header) and a Ctrl P to the end of the header (to indicate the position of the page number within the header).

Differences between the universal version of the 2-NDY word processor and the Apple IIe version.

There are now two versions of the Sandy Word processor with separate manuals and separate disks, one designed specifically to run on the Apple IIe, and one designed to run on all Apple computers.

If you are already familiar with the universal version you should read this list of differences. There are a number of enhancements, such as eight thousand character display buffer. This page does not cover the enhancements. It is about differences.

The file and print commands are the same in both versions.

The arrow key and the delete key work as expected in both versions.

The Apple IIe version uses the apple keys to give edit commands, where the universal version uses control keys.

The Apple IIe version hitting an arrow key with the open apple key held down deletes in the direction of the arrow, and hitting an arrow key with the closed apple key held down undoes the direction of the arrow. This replaces the various delete and undo commands in the universal version.

The first print command is apple P on the Apple IIe version instead of Ctrl - on the universal version.

There are a number of new edit commands, notably the globally command.

Search and replace are slightly different, because search no longer distinguishes between upper and lowercase. For example the search string "the" will match "the", "The", and "THE".

All other edit commands are the same. For example Apple R on the Apple IIe version moves the cursor to the right, just as Ctrl R does in the universal version. Apple F moves you from edit mode to the command mode in the Apple IIe version, just as Ctrl F does in the universal version.

The Apple IIe version now has the long prompt, edit soft space. This will be available on the universal version -- soon.

The embedded print command, HEADER, FOOTER, and PAGE NO. work slightly differently. On the Apple IIe version you have complete control over the position of the page number and header and footer text. All other embedded print commands are the same. This will be available in the universal version -- soon.

The hash code, used in form letters, is now Ctrl - , not Ctrl E Ctrl Shift M.

Documents created under the universal version will print correctly under the Apple IIe version, except that the HEADER command needs to be altered. To convert a HEADER comment to a text line for the universal version to a header command for the Apple IIe version, a Ctrl - to the start of the header (Ctrl - to the right justifies the header) and a Ctrl P to the end of the header (to indicate the position of the page number within the header).